

830 Planning Schedule with Release Capability

830 ANSI X12 004010

Version: 5.0

Publication: 10.07.2015

Version Number	Version Date	Description of Change	Reason of Change	Author	Change Reference
1.0	01.24.2013	Initial release	Original Document	Adrian Birau	All Sections
2.0	01.12.2015	Revision	LIN Details & Examples	Arkadyuti Banik	
3.0	03.17.2015	Revision	FST02 Qualifiers Updates	Arkadyuti Banik	
4.0	04.28.2015	Revision	New Firm & Planned Order Examples	Arkadyuti Banik	
4.1	05.14.2015	Revision	New Firm & Planned Order Examples	Arkadyuti Banik	
5	10.07.2015	Revision	FST06 and FST07 for ETD Date	Arkadyuti Banik	FST

Table of Contents

8304

ST Transaction Set Header5

BFR Beginning Segment for Planning Schedule5

REF Reference Identification.....6

Loop N1.....7

Loop LIN.....8

Loop FST..... 11

CTT Transaction Totals 12

SE Transaction Set Trailer 13

Example: 14

830 Planning Schedule with Release Capability

Functional Group = PS

This Draft Standard for Trial Use contains the format and establishes the data contents of the Planning Schedule with Release Capability Transaction Set (830) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business practice relative to the transfer of forecasting/material release information between organizations. The planning schedule transaction may be used in various ways or in a combination of ways, such as: (1) a simple forecast; (2) a forecast with the buyer's authorization for the seller to commit to resources, such as labor or material; (3) a forecast that is also used as an order release mechanism, containing such elements as resource authorizations, period-to-date cumulative quantities, and specific ship/delivery patterns for requirements that have been represented in "buckets," such as weekly, monthly, or quarterly. The order release forecast may also contain all data related to purchase orders, as required, because the order release capability eliminates the need for discrete generation of purchase orders.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BFR	Beginning Segment for Planning Schedule	M	1			Must use
050	REF	Reference Identification	O	12			Used
LOOP ID - N1					200		
230	N1	Name	O	1			Used
240	N2	Additional Name Information	O	2			Used
250	N3	Address Information	O	2			Used
260	N4	Geographic Location	O	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - LIN					>1		
010	LIN	Item Identification	M	1			Must use
020	UIT	Unit Detail	O	1			Used
110	PKG	Marking, Packaging , Loading	O	25			Used
140	REF	Reference Identification	O	12			Used
150	PER	Administrative Communications Contact	O	3			Used
220	QTY	Quantity	O	>1		N2/220	Used
LOOP ID - FST					>1	N2/410L	
410	FST	Forecast Schedule	O	1		N2/410	Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		N3/010	Used
020	SE	Transaction Set Trailer	M	1			Must use

Notes:

- 2/220 QTY is used to specify supplemental quantities relevant to the forecast function. However, QTY is not related to the actual forecast quantity in the FST segments.
- 2/410L At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
- 2/410 At least one occurrence of segment FST is required, either in the FST loop or within the SDP loop. These two loops are mutually exclusive.
- 3/010 Number of line items (CTT01) is the accumulation of the number of LIN segments. If used, hash total (CTT02) is the sum of the values of the quantities (FST01) for each FST segment.

ST Transaction Set Header

User Option (Usage):

Must use

To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code Description: Code uniquely identifying a Transaction Set All valid standard codes are used.	M	ID	3/3	Must use
ST02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

BFR Beginning Segment for Planning Schedule

User Option (Usage):

Must use

To indicate the beginning of a planning schedule transaction set; whether a ship or delivery based forecast; and related forecast envelope dates

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BFR01	353	Transaction Set Purpose Code Description: Code identifying purpose of transaction set "00" - Original Schedule.	M	ID	2/2	Must use
BFR02	127	Reference Identification Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	X	AN	1/30	Used
BFR03	328	Release Number Description: Number identifying a release against a Purchase Order previously placed by the parties involved in the transaction	X	AN	1/30	Used
BFR04	675	Schedule Type Qualifier Description: Code identifying the type of dates used when defining a shipping or delivery time in a schedule or forecast "DL" - Delivery Based (MRP Items) "BB" - Consumption Based (SIC items - 862 will be sent).	M	ID	2/2	Must use
BFR05	676	Schedule Quantity Qualifier Description: Code identifying the type of quantities used when defining a schedule or forecast "A" - Actual Quantities.	M	ID	1/1	Must use
BFR06	373	Forecast Start Date Description: Date expressed as CCYYMMDD	M	DT	8/8	Must use
BFR07	373	Forecast End Date Description: Date expressed as CCYYMMDD	O	DT	8/8	Used
BFR08	373	Forecast Generation Date Description: Date expressed as CCYYMMDD	M	DT	8/8	Must use

Syntax:

1. R0203 - At least one of BFR02,BFR03 is required

REF Reference Identification

User Option (Usage):

Used
To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification <u>Code</u> <u>Name</u> VR Supplier Code	M	ID	2/3	Must use
REF02	127	Reference Identification Description: Supplier Code	X	AN	1/30	Used

Semantics:

1. REF04 contains data relating to the value cited in REF02.

Loop N1

To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
230	N1	Name	O	1		Used

N1 Name

User Option (Usage):

Used

To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code Description: Code identifying an organizational entity, a physical location, property or an individual "BY" - Buyer Company Number "SE" - Supplier	M	ID	2/3	Must use
N102	93	Name Description: Free-form name	X	AN	1/60	Used
N103	66	Identification Code Qualifier Description: Code designating the system/method of code structure used for Identification Code (67) All valid standard codes are used.	X	ID	1/2	Used
N104	67	Identification Code Description: Code identifying a party or other code	X	AN	2/80	Used

Syntax:

1. R0203 - At least one of N102,N103 is required
2. P0304 - If either N103,N104 is present, then all are required

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

Loop LIN

To specify basic item identification data

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	LIN	Item Identification	M	1		Must use
020	UIT	Unit Detail	O	1		Used
110	PKG	Marking, Packaging, Loading	O	25		Used
	Use					
140	REF	Reference Identification	O	12		Used
150	PER	Administrative Communications Contact	O	3		Used
220	QTY	Quantity	O	>1		Used
410		Loop FST	O		>1	Used

LIN Item Identification

User Option (Usage):

Must use

To specify basic item identification data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN01	350	Assigned Identification Description: Flextronics Line Item Number	O	AN	1/20	Used
LIN02	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) "BP" - Buyer Part Number.	M	ID	2/2	Must use
LIN03	234	Product/Service ID Description: Identifying number for a product or service	M	AN	1/48	Must use
LIN04	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) "VP" - Supplier Part Number.	M	ID	2/2	Used
LIN05	234	Product/Service ID Description: Identifying number for a product or service	M	AN	1/48	Used
LIN06	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) "PU" Customer Part Number.	X	ID	2/2	Used
LIN07	234	Product/Service ID Description: Identifying number for a product or service	X	AN	1/48	Used
LIN08	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) "KF" Order Method/Item Type.	M	ID	2/2	Used
LIN09	234	Product/Service ID Description: Identifying number for a product or service	M	AN	1/48	Used
LIN10	235	Product/Service ID Qualifier Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234) "EC" Engineering Item Revision/Level.	X	ID	2/2	Used
LIN11	234	Product/Service ID Description: Identifying number for a product or service	X	AN	1/48	Used

Syntax:

1. P0405 - If either LIN04,LIN05 is present, then all are required

UIT Unit Detail

User Option (Usage):

Used
To specify item unit data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UIT01	C001	Composite Unit of Measure Description: To identify a composite unit of measure(See Figures Appendix for examples of use)	M	Comp		Must use
	355	Unit or Basis for Measurement Code Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken "EA".	M	ID	2/2	Must use

PKG Marking, Packaging, Loading

User Option (Usage):

Used
To specify item unit data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PKG01	349	Item description type Description: Code identifying the code for the description "F" - Free form	X	ID	1/1	Used
PKG02	753	Packaging Characteristic Code Description: Code specifying the marking, packaging, loading and related characteristics being described "35" - Type of Package	O	ID	1/5	Must Used
PKG05	325	Description Description: A free-form description to clarify the related data elements and their content	X	AN	1/80	Used

Comments:

1. If PKG02 equals "35", then PKG05 is used.
2. If PKG05 exist then PKG01 is used

REF Reference Identification

User Option (Usage):

Used
To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier Description: Code qualifying the Reference Identification "PO" - Purchase Order. "MH"- Manufacturer Order Number	M	ID	2/3	Must use

REF02	127	Reference Identification Description: Flextronics PO Number Description: Manufacturer Order Number	X	AN	1/30	Used
REF03	352	Description Description: A free-form description to clarify the related data elements and their content	X	AN	1/80	Used

Syntax:

1. R0203 - At least one of REF02,REF03 is required

PER Administrative Communications Contact

User Option (Usage):

Used
To identify a person or office to whom administrative communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PER01	366	Contact Function Code Description: Code identifying the major duty or responsibility of the person or group named "BD" - Buyer Department.	M	ID	2/2	Must use
PER02	93	Name Description: Free-form name	O	AN	1/60	Used
PER03	365	Communication Number Qualifier Description: Code identifying the type of communication number "TE" - Telephone Number.	X	ID	2/2	Used
PER04	364	Communication Number Description: Complete communications number including country or area code when applicable	X	AN	1/80	Used

Syntax:

1. P0304 - If either PER03,PER04 is present, then all are required

QTY Quantity

User Option (Usage):

Used
To specify quantity information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY01	673	Quantity Qualifier Description: Code specifying the type of quantity "17" - Quantity On Hand "YW" - Reorder Point Qty (will be 0 for MRP Items) '72' - Minimum stock level '73' - Maximum stock level	M	ID	2/2	Must use
QTY02	380	Quantity Description: Numeric value of quantity	X	R	1/15	Used

Syntax:

1. R0204 - At least one of QTY02,QTY04 is required
2. E0204 - Only one of QTY02,QTY04 may be presented

Loop FST

To specify the forecasted dates and quantities

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
410	FST	Forecast Schedule	O	1		Used

FST Forecast Schedule

User Option (Usage):

Used

To specify the forecasted dates and quantities

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
FST01	380	Forecast Quantity Description: Numeric value of quantity	M	R	1/15	Must use
FST02	680	Forecast Qualifier Description: Code specifying the sender's confidence level of the forecast data or an action associated with a forecast "C" - Firm. "D" - Planning.	M	ID	1/1	Must use
FST03	681	Forecast Timing Qualifier Description: Code specifying interval grouping of the forecast "W" - Weekly.	M	ID	1/1	Must use
FST04	373	Date Description: Date expressed as CCYYMMDD	M	DT	8/8	Must use
FST05	373	Date Description: Date expressed as CCYYMMDD	O	DT	8/8	Must use
FST06	374	Date / Time Qualifier Description: Date expressed as CCYYMMDD "010" – Requested Ship Date (ETD).	R	DT	3/3	Must use
FST07	337	Time Description: Time expressed as HHMM or HHMMSS	R	TM	4/8	Must use

Comments:

- As qualified by FST02 and FST03, FST04 represents either a discrete forecast date, the first date of a forecasted bucket (Weekly, monthly, quarterly, etc.) or the start date of a flexible interval.

CTT Transaction Totals

User Option (Usage):

Used

To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items Description: Total number of line items in the transaction set	M	N0	1/6	Must use
CTT02	347	Hash Total Description: Sum of FST01	O	R	1/10	Used

Comments:

1. This segment is intended to provide hash totals to validate transaction completeness and correctness.

SE Transaction Set Trailer

User Option (Usage):

Must use

To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments Description: Total number of segments included in a transaction set including ST and SE segments	M	N0	1/10	Must use
SE02	329	Transaction Set Control Number Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M	AN	4/9	Must use

Comments:

1. SE is the last segment of each transaction set.

Example:

Forecast With Zero Quantity:

ISA*00* *00* *ZZ*941714834VANT *ZZ*MAXIMACTG *141221*1829*U*00401*000068654*1*T*~
GS*PS*9417148340898*MAXIMACTG*20141221*1829*193*X*004010
ST*830*211829796
BFR*00*898SPM03022U20141222102754-2*SPM03022U898500M-2014522*DL*A*20141221*20151219*20141222
REF*VR*SPM03022U
N1*BY*FLEXTRONICS Computing (Suzhou) Co Ltd.*92*898
N1*ST*RAW MATERIAL WH - None Bonde*92*898500
N1*SE*MAXIM INTEGRATED PRODUCTS INTL LTD*92*SPM03022U
LIN*1*BP*ALCH-1AB209270001*VP*MAX8516EUB+T*PU*1AB209270001*KF*FLT*EC*X1
UIT*EA
REF*PO*89B156574
PER*BD*PCBA_Alex Wang
QTY*17*0
QTY*YW*0
QTY*72*0
QTY*73*0
FST*0*D*W*20150927
FST*2500*D*W*20151025
FST*0*D*W*20151101
FST*0*D*W*20151206
LIN*2*BP*ALCH-1AB229700001*VP*MAX8526EUD+T*PU*1AB229700001*KF*FLT*EC*X1
UIT*EA
REF*PO*89B156575
PER*BD*PCBA_Alex Wang
QTY*17*0
QTY*YW*0
QTY*72*0
QTY*73*0
FST*0*D*W*20150628
FST*2500*D*W*20150726
FST*0*D*W*20150906
FST*2500*D*W*20150927
FST*0*D*W*20151025
FST*0*D*W*20151129
LIN*3*BP*ALCH-1AB238810001*VP*MAX1510ETB+T*PU*1AB238810001*KF*FLT*EC*X1
UIT*EA
REF*PO*89B134909
PER*BD*PCBA_Alex Wang
QTY*17*0
QTY*YW*0
QTY*72*0
QTY*73*0
FST*0*D*W*20150628
FST*2500*D*W*20150726
FST*0*D*W*20151129
CTT*5*15000
SE*65*211829796
GE*1*193
IEA*1*000068654

Forecast With Quantity:

ISA*00* *00* *14*621658251364T *01*003012549TEST
*020724*1445*U*00400*000000223*1*T*~
GS*PS*621658251364*003012549*20020724*1445*2*X*004010
ST*830*0001
BFR*00*C36420020723I50121*2002-30*DL*A*20020722*20030714*20020723
N1*BY*Flextronics Tecn. - São José*92*364
N1*SE*TYCO ELECTRONICS CORPORATION*92*I50121
LIN*1*BP*ERBRNV40315*VP*1377333
UIT*EA
REF*PO*30060
PER*BD*ROBSON ALENCAR
QTY*17*31442
QTY*YW*0
FST*720*D*W*20020722
FST*20160*D*W*20020805
FST*3600*D*W*20020812
FST*12240*D*W*20020902
FST*7920*D*W*20021007
FST*5040*D*W*20021104
FST*17280*D*W*20021202
FST*9360*D*W*20030106
FST*13680*D*W*20030210
FST*19440*D*W*20030317
LIN*2*BP*ERBRPT403298/003*VP*RPT 403 298/002
UIT*EA
REF*PO*51000
PER*BD*ROBSON ALENCAR
QTY*17*45371
QTY*YW*0
FST*100*D*W*20020722
FST*18479*D*W*20020805
FST*3280*D*W*20020812
FST*8481*D*W*20020902
FST*6000*D*W*20021007
FST*4000*D*W*20021104
FST*17000*D*W*20021202
FST*8000*D*W*20030106
FST*12000*D*W*20030210
FST*19000*D*W*20030317
LIN*3*BP*HPM1252-2415*VP*1470224-2
UIT*EA
REF*PO*30315
PER*BD*ALEX SANDRO CAPALBO
QTY*17*35925
QTY*YW*0
FST*144000*D*W*20020722
FST*144000*D*W*20020729
FST*144000*D*W*20020805
FST*144000*D*W*20020812
FST*144000*D*W*20020819
FST*360000*D*W*20020826
FST*360000*D*W*20020902
FST*360000*D*W*20020909
FST*288000*D*W*20020916
FST*360000*D*W*20020923
FST*360000*D*W*20020930
FST*360000*D*W*20021007
FST*360000*D*W*20021014
FST*72000*D*W*20021021
FST*360000*D*W*20021028

FST*360000*D*W*20021104
FST*360000*D*W*20021111
FST*360000*D*W*20021118
FST*288000*D*W*20021125
FST*360000*D*W*20021202
FST*360000*D*W*20021209
FST*360000*D*W*20021216
FST*288000*D*W*20021223
FST*360000*D*W*20021230
FST*360000*D*W*20030106
FST*360000*D*W*20030113
FST*144000*D*W*20030120
FST*360000*D*W*20030127
FST*360000*D*W*20030203
FST*360000*D*W*20030210
FST*360000*D*W*20030217
FST*360000*D*W*20030224
FST*360000*D*W*20030303
FST*360000*D*W*20030310
FST*360000*D*W*20030317
FST*360000*D*W*20030324
FST*360000*D*W*20030331
FST*360000*D*W*20030407
FST*360000*D*W*20030414
LIN*4*BP*HPM1252-6762*VP*1470224-3
UIT*EA
REF*PO*30315
PER*BD*ALEX SANDRO CAPALBO
QTY*17*23906
QTY*YW*0
FST*120000*D*W*20020722
FST*120000*D*W*20020729
FST*120000*D*W*20020805
FST*120000*D*W*20020812
FST*120000*D*W*20020819
FST*300000*D*W*20020826
FST*300000*D*W*20020902
FST*300000*D*W*20020909
FST*240000*D*W*20020916
FST*300000*D*W*20020923
FST*300000*D*W*20020930
FST*300000*D*W*20021007
FST*300000*D*W*20021014
FST*60000*D*W*20021021
FST*300000*D*W*20021028
FST*300000*D*W*20021104
FST*300000*D*W*20021111
FST*300000*D*W*20021118
FST*240000*D*W*20021125
FST*300000*D*W*20021202
FST*300000*D*W*20021209
FST*300000*D*W*20021216
FST*240000*D*W*20021223
FST*300000*D*W*20021230
FST*300000*D*W*20030106
FST*300000*D*W*20030113
FST*120000*D*W*20030120
FST*300000*D*W*20030127
FST*300000*D*W*20030203
FST*300000*D*W*20030210
FST*300000*D*W*20030217
FST*300000*D*W*20030224
FST*300000*D*W*20030303
FST*300000*D*W*20030310

FST*300000*D*W*20030317
FST*300000*D*W*20030324
FST*300000*D*W*20030331
FST*300000*D*W*20030407
FST*300000*D*W*20030414
LIN*5*BP*HPM1252-6997*VP*2-1277970-0
UIT*EA
REF*PO*30315
PER*BD*ALEX SANDRO CAPALBO
QTY*17*22948
QTY*YW*0
FST*80000*D*W*20020722
FST*80000*D*W*20020729
FST*80000*D*W*20020805
FST*80000*D*W*20020812
FST*80000*D*W*20020819
FST*200000*D*W*20020826
FST*200000*D*W*20020902
FST*200000*D*W*20020909
FST*160000*D*W*20020916
FST*200000*D*W*20020923
FST*200000*D*W*20020930
FST*200000*D*W*20021007
FST*200000*D*W*20021014
FST*40000*D*W*20021021
FST*200000*D*W*20021028
FST*200000*D*W*20021104
FST*200000*D*W*20021111
FST*200000*D*W*20021118
FST*160000*D*W*20021125
FST*200000*D*W*20021202
FST*200000*D*W*20021209
FST*200000*D*W*20021216
FST*160000*D*W*20021223
FST*200000*D*W*20021230
FST*200000*D*W*20030106
FST*200000*D*W*20030113
FST*80000*D*W*20030120
FST*200000*D*W*20030127
FST*200000*D*W*20030203
FST*200000*D*W*20030210
FST*200000*D*W*20030217
FST*200000*D*W*20030224
FST*200000*D*W*20030303
FST*200000*D*W*20030310
FST*200000*D*W*20030317
FST*200000*D*W*20030324
FST*200000*D*W*20030331
FST*200000*D*W*20030407
FST*200000*D*W*20030414
LIN*6*BP*HPM1252-8483*VP*787780-1
UIT*EA
REF*PO*30315
PER*BD*GILMAR ROBERTO TRAJANO
QTY*17*14567
QTY*YW*0
FST*28800*D*W*20020722
FST*24960*D*W*20020729
FST*32160*D*W*20020805
FST*32160*D*W*20020812
FST*29760*D*W*20020819
FST*23520*D*W*20020826
FST*26400*D*W*20020902
FST*26400*D*W*20020909

FST*20160*D*W*20020916
FST*26880*D*W*20020923
FST*30720*D*W*20020930
FST*29280*D*W*20021007
FST*29280*D*W*20021014
FST*7680*D*W*20021021
FST*26880*D*W*20021028
FST*26880*D*W*20021104
FST*26880*D*W*20021111
FST*26880*D*W*20021118
FST*13920*D*W*20021125
FST*18720*D*W*20021202
FST*18720*D*W*20021209
FST*18240*D*W*20021216
FST*13440*D*W*20021223
FST*20640*D*W*20021230
FST*20640*D*W*20030106
FST*20640*D*W*20030113
FST*12000*D*W*20030120
FST*27360*D*W*20030127
FST*27360*D*W*20030203
FST*27360*D*W*20030210
FST*27360*D*W*20030217
FST*26880*D*W*20030224
FST*26880*D*W*20030303
FST*26880*D*W*20030310
FST*26880*D*W*20030317
FST*14880*D*W*20030324
FST*14880*D*W*20030331
FST*14880*D*W*20030407
FST*14880*D*W*20030414
LIN*7*BP*HPM1252-8962*VP*788336-1
UIT*EA
REF*PO*30410
PER*BD*Alexandra dos Santos
QTY*17*26496
QTY*YW*0
FST*1152*D*W*20020722
FST*1152*D*W*20020729
FST*3456*D*W*20020812
FST*8064*D*W*20020826
FST*8064*D*W*20020902
FST*8064*D*W*20020909
FST*16128*D*W*20020916
FST*13824*D*W*20020923
FST*13824*D*W*20020930
FST*13824*D*W*20021007
FST*13824*D*W*20021014
FST*9216*D*W*20021028
FST*9216*D*W*20021104
FST*9216*D*W*20021111
FST*9216*D*W*20021118
FST*11520*D*W*20021125
FST*11520*D*W*20021202
FST*11520*D*W*20021209
FST*11520*D*W*20021216
FST*6912*D*W*20021230
FST*6912*D*W*20030106
FST*6912*D*W*20030113
FST*6912*D*W*20030120
FST*9216*D*W*20030127
FST*9216*D*W*20030203
FST*9216*D*W*20030210
FST*9216*D*W*20030217

FST*11520*D*W*20030224
FST*11520*D*W*20030303
FST*11520*D*W*20030310
FST*11520*D*W*20030317
FST*9216*D*W*20030324
FST*9216*D*W*20030331
FST*9216*D*W*20030407
FST*9216*D*W*20030414
LIN*8*BP*HPM3101-3914*VP*8-1437565-5
UIT*EA
REF*PO*30451
PER*BD*GILMAR ROBERTO TRAJANO
QTY*17*29937
QTY*YW*0
FST*32000*D*W*20020722
FST*26000*D*W*20020729
FST*32000*D*W*20020805
FST*32000*D*W*20020812
FST*30000*D*W*20020819
FST*28000*D*W*20020826
FST*30000*D*W*20020902
FST*30000*D*W*20020909
FST*24000*D*W*20020916
FST*32000*D*W*20020923
FST*36000*D*W*20020930
FST*34000*D*W*20021007
FST*34000*D*W*20021014
FST*8000*D*W*20021021
FST*32000*D*W*20021028
FST*32000*D*W*20021104
FST*32000*D*W*20021111
FST*32000*D*W*20021118
FST*18000*D*W*20021125
FST*24000*D*W*20021202
FST*24000*D*W*20021209
FST*24000*D*W*20021216
FST*18000*D*W*20021223
FST*24000*D*W*20021230
FST*24000*D*W*20030106
FST*24000*D*W*20030113
FST*12000*D*W*20030120
FST*32000*D*W*20030127
FST*32000*D*W*20030203
FST*32000*D*W*20030210
FST*32000*D*W*20030217
FST*32000*D*W*20030224
FST*32000*D*W*20030303
FST*32000*D*W*20030310
FST*32000*D*W*20030317
FST*20000*D*W*20030324
FST*20000*D*W*20030331
FST*20000*D*W*20030407
FST*20000*D*W*20030414
LIN*9*BP*HPMC4557-60105*VP*C4557-60105
UIT*EA
REF*PO*30421
PER*BD*Alexandra dos Santos
QTY*17*20160
QTY*YW*0
FST*20160*D*W*20020722
FST*20160*D*W*20020729
FST*20160*D*W*20020812
FST*20160*D*W*20020826
FST*20160*D*W*20020902

FST*20160*D*W*20020909
FST*20160*D*W*20020916
FST*20160*D*W*20020923
FST*20160*D*W*20020930
FST*20160*D*W*20021007
FST*20160*D*W*20021014
FST*20160*D*W*20021028
FST*20160*D*W*20021104
FST*20160*D*W*20021111
FST*20160*D*W*20021118
FST*20160*D*W*20021125
FST*20160*D*W*20021202
FST*20160*D*W*20021209
FST*20160*D*W*20021216
FST*20160*D*W*20021230
FST*20160*D*W*20030106
FST*20160*D*W*20030113
FST*20160*D*W*20030120
FST*20160*D*W*20030127
FST*20160*D*W*20030203
FST*20160*D*W*20030210
FST*20160*D*W*20030217
FST*20160*D*W*20030224
FST*20160*D*W*20030303
FST*20160*D*W*20030310
FST*20160*D*W*20030317
FST*20160*D*W*20030324
FST*20160*D*W*20030331
FST*20160*D*W*20030407
FST*20160*D*W*20030414
LIN*10*BP*HPMC8941-60028*VP*C8941-60028
UIT*EA
REF*PO*0
PER*BD*GILMAR ROBERTO TRAJANO
QTY*17*3006
QTY*YW*0
FST*5280*D*W*20020722
FST*4290*D*W*20020729
FST*5280*D*W*20020805
FST*5280*D*W*20020812
FST*4950*D*W*20020819
FST*4620*D*W*20020826
FST*4950*D*W*20020902
FST*4950*D*W*20020909
F#T*3960*D*W*20020916
FST*5280*D*W*20020923
FST*5940*D*W*20020930
FST*5610*D*W*20021007
FST*5610*D*W*20021014
FST*1320*D*W*20021021
FST*5280*D*W*20021028
FST*5280*D*W*20021104
FST*5280*D*W*20021111
FST*5280*D*W*20021118
FST*2970*D*W*20021125
FST*3960*D*W*20021202
FST*3960*D*W*20021209
FST*3960*D*W*20021216
FST*2970*D*W*20021223
FST*3960*D*W*20021230
FST*3960*D*W*20030106
FST*3960*D*W*20030113
FST*1980*D*W*20030120
FST*5280*D*W*20030127

FST*5280*D*W*20030203
FST*5280*D*W*20030210
FST*5280*D*W*20030217
FST*5280*D*W*20030224
FST*5280*D*W*20030303
FST*5280*D*W*20030310
FST*5280*D*W*20030317
FST*3300*D*W*20030324
FST*3300*D*W*20030331
FST*3300*D*W*20030407
FST*3300*D*W*20030414
CTT*10*32631836
SE*390*0001
GE*1*2
IEA*1*000000223

Forecast With Firm and Planned Quantity:

ISA*00* *00* *16*941714834TEST *ZZ*ARROW2345 *150413*1446*U*00401*000000001*1*T*:
GS*PS*9417148340016*0491599571234*20150413*1446*1*X*004010
ST*830*131446103
BFR*00*491SP000093220150228164935-31*SP0000932491PAAM-2015096*DL*A*20150223*20160221*20150228
REF*VR*SP0000932
N1*BY*Flextronics Poland*92*491
N1*ST*Main Warehouse*92*491PAA
N1*SE*TAIYO YUDEN GMBH*92*SP0000932
LIN*1*BP*CISH-11-100074-01*VP*RM LMK105 B7104KV-F*PU*11-100074-01*KF*FLT*EC*A0-3
UIT*EA
PKG*F*35***tape and reel
REF*PO*49A603003
PER*BD*MICHAL GOGOLEWSKI
QTY*17*0
QTY*YW*0
QTY*72*0
QTY*73*0
FST*1300000*C*W*20150420
FST*0*C*W*20150427
FST*270000*D*W*20150525
FST*530000*D*W*20150601
FST*540000*D*W*20150608
FST*520000*D*W*20150615
FST*170000*D*W*20150622
FST*520000*D*W*20150629
FST*500000*D*W*20150706
FST*530000*D*W*20150713
FST*510000*D*W*20150720
FST*370000*D*W*20150727
FST*420000*D*W*20150803
FST*340000*D*W*20150810
FST*420000*D*W*20150817
FST*460000*D*W*20150824
FST*470000*D*W*20150831
FST*480000*D*W*20150907
FST*630000*D*W*20150914
FST*620000*D*W*20150921
FST*650000*D*W*20150928
FST*660000*D*W*20151005
FST*760000*D*W*20151012
FST*500000*D*W*20151019

FST*830000*D*W*20151026
FST*460000*D*W*20151109
FST*500000*D*W*20151116
FST*480000*D*W*20151123
FST*510000*D*W*20151130
FST*1010000*D*W*20151207
FST*480000*D*W*20151214
FST*530000*D*W*20151228
FST*490000*D*W*20160104
FST*510000*D*W*20160111
LIN*2*BP*CISH-11-100074-01*VP*RM LMK105 B7104KV-F*PU*11-100074-01*KF*FLT*EC*A0-3
UIT*EA
PKG*F*35***tape and reel
REF*PO*49A603003
PER*BD*MICHAL GOGOLEWSKI
QTY*17*0
QTY*YW*0
QTY*72*0
QTY*73*0
FST*1300000*C*W*20150420
FST*0*C*W*20150427
FST*270000*D*W*20150525
FST*530000*D*W*20150601
FST*540000*D*W*20150608
FST*520000*D*W*20150615
FST*170000*D*W*20150622
FST*520000*D*W*20150629
FST*500000*D*W*20150706
FST*530000*D*W*20150713
FST*510000*D*W*20150720
FST*370000*D*W*20150727
FST*420000*D*W*20150803
FST*340000*D*W*20150810
FST*420000*D*W*20150817
FST*460000*D*W*20150824
FST*470000*D*W*20150831
FST*480000*D*W*20150907
FST*630000*D*W*20150914
FST*620000*D*W*20150921
FST*650000*D*W*20150928
FST*660000*D*W*20151005
FST*760000*D*W*20151012
FST*500000*D*W*20151019
FST*830000*D*W*20151026
FST*460000*D*W*20151109
FST*500000*D*W*20151116
FST*480000*D*W*20151123
FST*510000*D*W*20151130
FST*1010000*D*W*20151207
FST*480000*D*W*20151214
FST*530000*D*W*20151228
FST*490000*D*W*20160104
FST*510000*D*W*20160111
LIN*3*BP*CISH-11-100074-01*VP*RM LMK105 B7104KV-F*PU*11-100074-01*KF*FLT*EC*A0-3
UIT*EA
PKG*F*35***tape and reel
REF*PO*49A603003
PER*BD*MICHAL GOGOLEWSKI
QTY*17*0
QTY*YW*0
QTY*72*0
QTY*73*0

FST*1300000*C*W*20150420
FST*0*C*W*20150427
FST*270000*D*W*20150525
FST*530000*D*W*20150601
FST*540000*D*W*20150608
FST*520000*D*W*20150615
FST*170000*D*W*20150622
FST*520000*D*W*20150629
FST*500000*D*W*20150706
FST*530000*D*W*20150713
FST*510000*D*W*20150720
FST*370000*D*W*20150727
FST*420000*D*W*20150803
FST*340000*D*W*20150810
FST*420000*D*W*20150817
FST*460000*D*W*20150824
FST*470000*D*W*20150831
FST*480000*D*W*20150907
FST*630000*D*W*20150914
FST*620000*D*W*20150921
FST*650000*D*W*20150928
FST*660000*D*W*20151005
FST*760000*D*W*20151012
FST*500000*D*W*20151019
FST*830000*D*W*20151026
FST*460000*D*W*20151109
FST*500000*D*W*20151116
FST*480000*D*W*20151123
FST*510000*D*W*20151130
FST*1010000*D*W*20151207
FST*480000*D*W*20151214
FST*530000*D*W*20151228
FST*490000*D*W*20160104
FST*510000*D*W*20160111
CTT*3*53910000
SE*137*131446103
GE*1*1
IEA*1*000000001

For more information, please visit

www.flextronics.com

Flextronics is a leading Electronics Manufacturing Services (EMS) provider that offers complete design, engineering, and manufacturing services to aerospace, automotive, computing, consumer digital, Industrial, infrastructure, medical and mobile OEM customers. With a network of facilities in 30 countries, Flextronics helps customers design, manufacture, distribute and service electronics products worldwide.

Copyright © 2012, Flextronics. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Flextronics.